Aviation Essentials



The right product at the right place

High Technology Cleaning Solutions for Maintenance, Repair and Overhaul of Aircrafts



Exterior washing



Cabin interior



A 1122

Silicone free polish Aircraft Polish

One-step cleaner and polish. Removes stains and marks from aircraft surfaces as well as scale and traffic film from windscreens. Provide long term protection to all paintworks. Leaves clean and smooth lustrous surfaces to enhance corporate

image. Odourless, non-toxic. Non-flammable. Colour: Light brown

AMS 1531B. Fokker.

Approvals/Conformances:

A 1122 J1	5L x 4
A 1122 O2	25L

A 3180

Glass act Window Cleaner

Ammonia free mirror and window cleaner. Quickly removes dirt and soil from glass and glazed surfaces leaving sparkling surfaces without buffing or polishing. No streaking or smudging. Safe on surrounding paintwork and furniture. Non-flammable.

Dilution: up to 1:80 Colour: Clear pale green, pH: 10

Approvals/Conformances: AMS 1534A, Boeing D6-17487 Rev. L.

A 3180 J1	5L x 4
A 3180 O2	25L

A 4423

Exterior aircraft cleaner I **Economical Exterior Cleaner**

General Purpose detergent, designed for cleaning aircraft exteriors using wet washing and foam cleaning methods. Contains no chromates or other heavy metals. Safe on all exterior and painted surfaces. Streak free after rinsing. Biodegradable. Non-flammable.

Dilution: up to 1:10 Colour: Clear yellow, pH (1%): 10.8

Approvals/Conformances: AMS 1526B, Boeing D6-17487 Rev. L, MIL-C-87937B Type I, Fokker.

A 4423 O2	25L	
A 4423 U2	205L	

A 3220

Sunshine General Purpose Cleaner

Premium grade universal detergent that works effectively on all aircraft interiors surfaces: galley, toilets, walls etc. Harmless to all metals, paint, fabrics, glass, rubber etc. Non-slip finishing, rinses right away. Spray, Swab or Wipe On/Off. Non-toxic Non-flammable

Dilution: up to 1:50. Colour: Clear blue. Odour: Lemon, pH (10%): 7.2

Approvals/Conformances: AMS 1550B, Boeing D6-17487 Rev. J, Douglas CDS#1 Issue 1989, Fokker.

A 3220 J1	5L x 4
A 3220 O2	25L
A 3220 U2	205L

A 4553

Heavy duty aircraft cleaner Thickened Heavy Duty Cleaner

Viscous heavy duty water based detergent. Formulated for the removal of oily soils, grease & carbon from bare metals and painted surfaces. Effective on landing gear, under belly, wheel wells flap bays. Safe on all metal parts. Non-flammable.

Dilution: up 1:10 Colour: Green Liquid, pH: 9.9

Approvals/Conformances: AMS 1533A.



A 4553 O2	25L
A 4553 U2	205L

A 3746

Breeze spice Cabin Deodoriser

Concentrated odour counteractant and reodorant. Eliminates offensive odours in cabin and toilet leaving a fresh pleasant fragance. Non-flammable.

Colour: Reddish orange Odour: Spice, pH: 8.5

A 3746 J1	5L x 4
A 3746 O2	25L

A 4935

Exterior aircraft cleaner II Concentrated Exterior Cleaner

Viscous water based cleaner for the removal of soils from the exterior surfaces of aircraft. Can be used for all applications, including flap bays, wheel wells etc. Safe on all exterior surfaces & paints. Residue free, Non-flammable

Dilution: up to 1:20 Colour: Light yellow, pH: 12.1

Approvals/Conformances: AMS 1526B, Boeing D6-17487 Rev. L, Fokker.

A 4935 O2	25L	
A 4935 U2	205L	

A 3471

Noviruclean Viricidal Sanitiser

Powerful spray and wipes disinfectant cleaner. Reduces surface contamination by bacteria and SARS type virus. Effective all internal aircraft surfaces: galley surfaces, toilet cubicles & components etc. Recommended as a soak cleaning for recirculating toilet tanks. Suitable for both

No rinsing required. Non-flammable. Dilution: up to 1:200 Colour: Clear, pH: 8.6

Approvals/Conformances: AMS 1453 (dilution 1:30)



A 3471 O2

onboard and workshop use.

25L

Ground service equipment & workshop



A 3120

Bulldog gold Vehicle Wash

Heavy duty detergent cleaner, designed to remove dirt, soils, and road grime from light / heavy vehicles as well as handling equipment. Suitable for use in automatic car and truck wash installations. High

foaming action does not leave streaks. Safe on all metals, paintwork, chrome glass and plastic curtains. Non-flammable. Dilution: up to 1:50
Colour: Clear Yellow, pH (1%): 9.6

A 3120 O2	25L	
A 3120 U2	205L	

A 8300

Solvent wipe II Fast Dry Solvent

Quick drying solvent. Removes dust, oil, grease and general soils from component and engine parts. Effective on brake, wheel bay areas, control flaps etc. Safe on aircraft metals with care on some paint and plastic surfaces. Leaves no residue. Use as supplied for cleaning by hand or immersion. Colour: Colourless

Flash Point: 24°C (TCC)



A 8300 O2	25L
A 8300 U2	205L

A 3110

lango Heavy Duty Hand Cleaner

Heavy duty hand cleaner, formulated from naturally occurring citrus oils.

Removes the roughest greases and oils from hands and body. Contains polymeric beads to give gentle action

and **lanolin to minimise skin irritation.**Maintenance workshops, industry, engineering, garages etc. **Colour:** Pale Orange, **pH:** 7.2

A 3110 S5 19KG

A 3010

Luxury hand soap Gentle Hand Cleaner

Smooth hand washing lotion for excellent mild cleaning. Excellent cleaning properties. Contain emollient to keep the skin supple. For use in all

work environment and public washrooms, pleasant colour and aroma. **Colour:** Pearly Blue, **pH:** 7

A 3010 J1	5L x 4
A 3010 O2	25L

Innovation in our laboratories



"In a market characterized by a constant stream of aviation products, innovation more than ever is the key to success. Research has always been and will continue to be our strategic priority to safeguard our future."

Since 1942, APPLIED ORAPI Group has been understanding and anticipating the requirements of the aviation industry. Providing mechanical and maintenance engineers, Technologically Advanced Solutions, to improve process cleaning efficiency and reduction of operation costs without compromising quality and standards.

Conformance

The high quality and manufacturing standards of APPLIED products are continually confirmed by major O.E.M. corporations (Goodrich, Allied Signal, Honeywell, G.E., Pratt & Whitney, Rolls Royce etc), and tested by independent certification bodies, such as: ISO standards - 9001 & 14001, military standards - NATO, US MIL, aeronautic standards - ASNA, AIMS, AMS, BOEING D6.

These audits and certifications often award **APPLIED** the top grades, while respecting the standards of high quality in terms of products and technology.

International Network

With a distribution coverage in more than 100 countries and manufacturing facilities in major continents, **APPLIED-ORAPI Group** is able to provide local support and expert resources backed by a worldwide International Organisation.

Safety & Environment

APPLIED is committed to safety and the environment. Our goal is to provide technological innovations with no harm to the public health and the environment.

Waste line maintenance treatment



Component overhaul



A 2225

Aircraft vacuum line treatment Toilet Line Descaler

Acid based detergent cleaner effective to prevent the build-up of soil deposits in vacuum toilets systems. Prevents the narrowing of vaccum pipes and reduces the risks of blockage. Application should be conducted every seven days.

Non-flammable. Colour: Clear blue liquid, pH: 1.5

Approvals/Conformances: Airbus N.T.O., Boeing N.T.O., B.A.E.

A 2225 I2	2L x 6
A 2225 O2	25L

A 4204

Aqueous degreaser Wheel and brake Cleaner

Concentrated degreaser for oil and grease removal. Use in immersion or agitation tanks, spray washing or manual cleaning. Safe on most metals, paints and plastics surfaces. Becommended for all components and engine parts, landing gears, wheel hubs etc. Suitable for galley ovens and surrounding. Non-flammable.

Dilutions: up to 1:4, **pH:** 10.9 Colour: Clear pale

Approvals: AMS 1537A, ARP 1755B, ASTM F945, Goodrich. Allied Signal, Honeywell, Pratt & Whitney PWA 36604 (Appendix A) Rev. 07/97, Pratt & Whitney SPMC 138.

A 4204 O2	25L
A 4204 U2	205L

9023

Drain guard Galley Line Cleaner

Liquid cleaner based on bacteria and enzymes. Prevents pipes blockages and malodours caused by the accumulation of organic deposits and bacteria due to the disposal of beverages coffee, milk,

juice and carbonated drinks in galley lines. Preventative daily treatment, reduces the need for mechanical cleaning. Non-corrosive, non caustic. Colour: Pink - Orange, pH: 7.5

A 9023 I2	1L x 12	
A 9023 J1	5L x 4	
A 9023 O2	25L	

A 8000

Solvent wipes I Non Flammable Cleaner

Low odour solvent, designed to degrease and remove light & heavy soils from component and engine parts, electrical & electronic systems. Safe on aircraft metals with care on some paint and plastic surfaces. Leaves no residue. Suitable for immersion,

wipe or spray application. Colour: Clear, Flash Point: 62°C (TCC)

Approvals: BAE ABR9-0140 Type 2, Rolls Royce 1/257C

	25L	
2	205L	



Novirusac del Viricidal Toilet Sanitiser

New technology water-soluble gel for recirculating & vacuum toilet systems. Produces a pleasant perfume for effective odour control and viricidal. bactericidal treatment. Viricidal against: Hep B, HIV (AIDS), Herpes Simplex. Bactericidal against gram positive and negative strains. Non-flammable.

Dilution: 1:200 for initial treatment, then 1:1000 Colour: Dark blue, Odour: Fruity floral, pH: 9.5 (1:200 dilution)

Approvals/Conformances: AMS 1476B, Boeing D6-17487 Rev. P, B.A.E.

A 3466 H5	20gm x 200 (water soluble sachets)
A 3466 H7	40gm x 96 (water soluble sachets)
A 3466 O2	25L

A 8300

A 8000 O2 A 8000 U2

Solvent wipes II Fast Dry Cleaner

Quick drying solvent. Removes dust, oil, grease and general soils from component and engine parts. Effective on brake, wheel bay areas, control flaps etc. Safe on aircraft metals with care on some paint and plastic surfaces. Leaves no residue. Use as supplied for cleaning by hand or immersion.

Colour: Clear, Flash Point: 24°C (TCC)



Approvals/Conformances: Boeing D6-17487 Rev. L, Douglas CSD # 1 issue 1988, Fokker, Honeywell, Rolls Royce 1/257B.

A 8300 O2	25L
A 8300 U2	205L



A 3479 J1 A 3479 O2

Novirusol Viricidal Liquid Toilet Treatment

Pleasantly perfumed liquid for effective odour control in recirculating & vacuum toilet systems. Viricidal action against Hep B, HIV (AIDS), Herpes Simplex. Bactericidal against gram positive and negative strains. Non-flammable. Dilution: 1:50 for initial

treatment, then 1:200. Colour: Dark blue. Odour: Fruity floral, pH: 8.9 (1:50 dilution)

Approvals/Conformances: AMS 1476A

5L x 4	
A=1	

A 2329

Silicone remover Adhesive Cleaner

Water soluble solvent, for removal of silicone sealants, adhesives & resins from aircraft components in cold tank applications. Safe on aluminum. magne-sium, titanium and other metals. Can be rinsed with water or solvent.

Colour: Red, Flash Point: 45°C (PMCC)



A 2329 O2	25L
A 2329 U2	205L

Engine overhaul



Paint stripping / Corrosion Inhibitor Compound cleaning



A 5840

Alkaline deruster & descaler Immersion Scale & Corrosion Remover

Powdered caustic cleaner. Removes rust, heavy carbon deposits, a host of organic coating and heat modified metallic oxides from ferrous metals. Used as one of a multi-stage cleaning process for the removal of heat scale and oxide formations from high temperature alloy jet engine components.

Non-flammable. Colour: white

Approvals/Conformances: ARP 1755B, ASTM F 945, G.E. Aircraft Engines, Pratt & Whitney SPMC 200, Garret. Allied Signals.

A 5840 S5 20KG A 5840 U1 200KG

A 2690

Acidic cleaner/inhibited rust remover Immersion Scale & Corrosion Remover

Concentrated acidic cleaner for effective removal of rust from iron and steel and conditioning scale for subsequent removal treatment. Removes "white-rust" from galvanised and aluminium surfaces. Cleaning process should be preceded by alkaline permanganate (A 5770) or alkaline (A 5840)

treatment. Concentration: 30% - 50% v/v, Colour: White, pH (1%): 2.0

Approvals/Conformances: ARP 1755B, G.E. Aircraft Engines, Pratt & Whitney SPMC 21, Allison Engine.

A 2690 U2	205L
A 2690 O2	25L

A 2751

Acidic scale conditioner Immersion Scale & Corrosion Remover

Powdered sulphamic acidic cleaner. Effective for removal of complex metallic scales from jet engine components in part of a multi-stage process. Treatment should be preceded by alkaline rust remover (ie A 5840)

Concentration: 65 - 75 g/L Colour: Off White

Approvals: AMS 1476B, Boeing D6-17487 Rev. P, B.A.E.

A 2751 S5	20KG
A 2751 U1	200KG

Alkaline permanganate scale conditioner Immersion Scale & Corrosion Remover

Powdered **permanganate cleaner.** Used as one part of a multi-stage process for the removal of complex metallic scales from jet engine components. Used subsequently to alkaline (A 5840) or acidic treatment (A 2690). Safe on steel and other relevant metals. Non-flammable.

Colour: Deep purple

Approvals/Conformances: ARP 1755B, G.E. Aircraft Engines. Pratt & Whitney SPMC 202, Garret.

A 5770 S5	20KG
A 5770 U1	200KG

Alkaline deruster & descaler Decarboniser/paint stripper concentrated

Powerful 2 phases solvent system, designed Colour: Dark Brown to remove carbonised oil and grease, paint. rubber moulds, adhesives and synthetic finishes from components and engine parts. Safe on all metals. Use by immersion at ambient temperature without agitation. Non-flammable.

Approvals/Conformances: Pratt & Whitney SPMC 41.



A 8770 U2

2051

A 8758

Phenolic paint stripper Heavy Duty Paint Remover

Viscous liquid, designed to **remove** polyurethane, epoxy, enamel & coating from aircraft exterior painted surfaces. Apply to clean surface, allow paint to soften, scrape away and rinse with high pressure water. Non-flammable.

Colour: Yellow

Approvals/Conformances:



A 8758 U2

205L

A 8759

Non phenolic paint stripper Paint Remover

Ammonia activated viscous stripper. formulated to remove polyurethane, epoxy, enamel & coating from aircraft exterior painted surfaces. Apply to clean surface, allow paint to soften, scrape away and rinse with high pressure water. Non-flammable

Colour: Amber vellow

Approvals/Conformances:



AMS 1375B, Boeing N.T.O.

A 8759 U2

205L

A 8293

Citrikleen X520 Environmentally Friendly CIC Remover

Powerful solvent, formulated from naturallyderived citrus oils. Quickly dissolves oils, greases, adhesives and waxes from aircraft components. Recommended for removing corrosion inhibition compound as well as contact adhesive on aircraft surfaces. Safe all metals with care on some paint and plastic surfaces. Leaves no residue. Use as wipe on/wipe off or by tank immersion.

Colour: Pale yellow, Flash Point: 45°C (TCC)



Boeing D6-17487 Rev. P

A 8293 O2	25L
A 8293 U2	205L



FRANCE

ORAPI FRANCE - WORLDWIDE HEADQUARTER

Parc Industriel de la Plaine de l'Ain 5, allée des Cèdres - 01150 SAINT-VULBAS Tel. +33 (0)4 74 40 20 20 - Fax : +33 (0)4 74 40 20 21 Web: www.orapi.com - E-mail : contact@orapi.com

PROVEN ORAPI

679, Av du Dr Lefebvre - 06272 VILLENEUVE LOUBET Tel. +33 (0) 49 21 13 30 30 - Web: www.proven.fr E-mail: contact@proven.fr

DACD

Parc d'Activités Mathias - BP 9 26320 SAINT-MARCEL-LÈS-VALENCE Tel. +33 (0)4 75 58 80 10 - Fax: +33 (0)4 75 58 74 46 Web: www.dacd.com - E-mail: contact@dacd.com

CHIMIOTECHNIC

Rue Max Dormoy - 69200 VENISSIEUX Tel. +33 (0)4 74 40 20 00 - Fax: +33 (0)4 74 40 20 01 Web: www.chimiotechnic.fr

NORTHERN EUROPE

BELGIUM - ORAPI APPLIED BELGIUM S.A. Heerdweg 57 - 9800 DEINZE Tel. +32 2 2800 736 E-mail: benelux@orapiapplied.com

NORWAY - ORAPI APPLIED NORWAY Narverødveien 40 3113 TØNSBERG Tel. +47 333 66 000 - Fax: +47 333 66 008

UNITED KINGDOM - ORAPI APPLIED LTD
Spring Road, Smethwick - WEST MIDLANDS, B66 1PT
Tel. +44 0121 525 4000 - Fax: +44 0121 525 4919
E-mail: info@orapiapplied.com

FINLAND - ORAPI NORDIC OY AB Salpakuja 6 - 01200 VANTAA Tel. +358 9 894 6430 - Fax: +358 9 8946 4322 Web: www.orapinordic.net E-mail: sales@orapinordic.net

NETHERLANDS - ORAPI APPLIED NEDERLAND B.V.
Ondernemingsweg 16 - PO Box 466
2400 AL ALPHEN AAN DEN RIJN
Tel. +31 172 43 72 21 - Fax: +31 172 43 69 01
E-mail: benelux@orapiapplied.com

SWEDEN - ORAPI NORDIC OY AB
Bolandsgatan 10 - 753 23 UPPSALA
Tel. +46 18 506 010 - Fax: +46 18 500 910
Web: www.orapi.se - E-mail: info@orapi.se

SOUTHERN EUROPE

ITALY - ORAPI ITALIA SRL

Via Vaccareccia 39 - 00040 POMEZIA (RM)
Tel. +39 06 916 10576 - Fax: +39 06 918 02468
E-mail: info@orapi.it

SPAIN - ORAPI APPLIED ESPANA SAU C/Beethoven 2-4 1°, Puerta 3 43007 TARRAGONA Tel. +34 977 22 50 16 - Fax: +34 977 22 50 29 E-mail: info@orapi-applied.es

AMERICA

CANADA - ORAPI CANADA LTD
7521 Henri Bourassa Est - MONTREAL
QUEBEC H1E1N9
Tel. +1 514 735 32 72 - Fax: +1 514 735 85 50

ASIA

SINGAPORE - ORAPI APPLIED (S) PTE LTD No. 9 Tuas Basin Link - SINGAPORE 638763

Tel. +65 6265 2888 - Fax : +65 6268 6474 E-mail: sin.sales@orapi.com.sq

MALAYSIA - ORAPI APPLIED (M) SDN BHD

No. 10, Jalan PJU 3/49 PJU 3, Sunway Damansara 47810 Petaling Jaya - SELANGOR

Tel. +60 (0)3 7805 3805 - Fax : +60 (0)3 7880 5805

E-mail: msia.sales@orapi.com.my

PACIFIC

AUSTRALIA - ORAPI PACIFIC-VICTORIA LUB PTY LTD Factory 24, 29-39 Kirkham Road West - Keysborough, Po Box 816 - VICTORIA 3173 Tel. +613 9701 5373 - Fax: +613 9701 5532

Email: info@orapi.com.au

NEW ZEALAND - ORAPI IMPORTS LIMITED NZ PO. Box 13049 113 Elwood Road - HASTINGS Tel. +64 6 870 4880 - Fax: +64 6 870 4890

MAURITIUS - ORAPI PACIFIC PROLUB CIE LTD 2 rue d'Entrecasteaux - PORT LOUIS Tel. +230 208 1477 - Fax: +203 210 7370

NEW CALEDONIA - ORAPI PACIFIC SFAC SARL 27, rue Ampère ZI Ducos – BP 3725 98846 NOUMÉA Cedex Tel. +687 25 15 40 - Fax: +687 27 20 67

PAPEETE - ORAPI PACIFIC TECHNIPAC SARL Z.I Vallée de la Tipaerui BP 1706 - 98713 PAPEETE Tel. +689 74 57 33 - Fax: +689 45 04 04 E-mail: technipac@mail.pf

SOUTH AFRICA - ORAPI AFRICA LTD 234 Albert Amon Road - Millenium Business Park Meadowdale Ext. 7 PO Box 6142 - BIRCHLEIGH 1621

Tel. +27 11 453 17 13 - Fax: +27 11 453 32 79

E-mail: info@orapiafrica.co.za

